

Archives of  
**Dermatological  
Research**

**Volume 283 1991**

**Editor-in-Chief: E. Christophers, Kiel**

**Managing Editors**

**P. Fritsch, Innsbruck  
O. P. Hornstein, Erlangen  
E. G. Jung, Mannheim**

**S. I. Katz, Bethesda  
H. Tagami, Sendai**

**Editorial Board**

**J. D. Bos, Amsterdam  
O. Braun-Falco, Munich  
B. Czarnetzki, Berlin  
I. Gigli, San Diego  
M. W. Greaves, London  
V. K. Hopsu-Havu, Turku  
S. Imamura, Kyoto  
H. Ippen, Göttingen  
L. Juhlin, Uppsala  
E. Macher, Münster  
R. M. Mackie, Glasgow**

**H. Maibach, San Francisco  
G. Plewig, Munich  
U. W. Schnyder, Zurich  
G. K. Steigleder, Cologne  
W. Sterry, Ulm  
G. Stingl, Vienna  
K. Thestrup-Pedersen, Aarhus  
J. Thivolet, Lyon  
H. H. Wolff, Lübeck  
K. Wolff, Vienna**



**Springer International**

In 1869 the Archives of Dermatological Research was founded as Archiv für Dermatologie und Syphilis by H. Auspitz and F. J. Pick. Continued and edited by A. Neisser, L. v. Zumbusch, J. Jadassohn, W. Pick. Vols 1–127 (1920) published by Braunmüller, Vienna; as of Vol 128 (1921) by Springer, Berlin.

From 1921 until 1973 organ of the Deutsche Dermatologische Gesellschaft (Vereinigung deutschsprachiger Dermatologen). As of Vol 201 (1955) published as Archiv für klinische und experimentelle Dermatologie.

As of Vol 240 (1971) as Archiv für Dermatologische Forschung / Archives for Dermatological Research.

As of Vol 253 (1975) as Archives for Dermatological Research / Archiv für Dermatologische Forschung.

As of Vol 261 (1978) as Archives of Dermatological Research / Archiv für Dermatologische Forschung.

As of Vol 264 (1979) as Archives of Dermatological Research.

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data-bases, video-disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

*Special regulations for photocopies in the USA:*

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US\$ 0.20 per page, or a minimum of US\$ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0340-3996, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

*Printers:* Wiesbadener Graphische Betriebe GmbH, W-6200 Wiesbaden, Federal Republic of Germany

© Springer-Verlag GmbH & Co. KG, Berlin Heidelberg 1991 · Printed in Germany

# Contents of Volume 283

Aalto M-L → Naukkarinen A  
 Adachi K → Hisaoka H  
 Agache P → Humbert Ph  
 Agache P → Treffel P  
 Aikawa Y → Wongwaisayawan H  
 Akamatsu H, Komura J, Asada Y, Miyachi Y, Niwa Y: Inhibitory effect of azelaic acid on neutrophil functions: a possible cause for its efficacy in treating pathogenetically unrelated diseases 162  
 Akamatsu H, Niwa Y, Kurokawa I, Masuda R, Nishijima S, Asada Y: Effects of subminimal inhibitory concentrations of minocycline on neutrophil chemotactic factor production in comedonal bacteria, neutrophil phagocytosis and oxygen metabolism 524  
 Akazaki S → Nakagawa N  
 Akiyama M, Sugiura M, Shimizu H, Nishikawa T: No significant change of glycoconjugates exists in the epidermis of familial benign chronic pemphigus 537  
*Announcements* 140  
 Anton-Lamprecht I → Günzel S  
 Apaia MR → Valentini G  
 Arai A → Kiesewetter F  
 Arenberger P → Kemény L  
 Asada Y → Akamatsu H  
 Asada Y → Soh H  
 Asahina A → Nakagawa N  
 Aso K → Kondo S  
 Baar HMJ van, Perret CM, Vlijmen-Willems IMJJ van, Cleutjens JPM, Mackie EJ, Happle R, Schalkwijk J: Expression of tenascin in perifollicular connective tissue: comparison of normal scalp and alopecia areata 86  
 Babaev VR, Belowa ME, Tkachenko AV, Tatarak EM, Kazantseva IA, Chumakov IM: The expression of skin-specific gene K51 in the epidermal layer of human skin and in basal cell carcinoma cells 113  
 Baraldi A → Fantini F  
 Barth J → Wozel G  
 Belowa ME → Babaev VR  
 Benezra C → Roberts DW  
 Berens von Rautenfeld D → Lubach D  
 Bergen en Henegouwen PMP van → Pas MFW te  
 Bernerd F, Ortonne J-P, Bouclier M, Chatelus A, Hensby C: The rhino mouse model: the effects of topically applied all-trans retinoic acid and CD271 on the fine structure of the epidermis and utricule wall of pseudocomedones 100  
 Berti E → Nazzaro V  
 Bolsen K → Scharffetter K  
 Bonnekoh B → Farkas B  
 Bonnekoh B → Hegemann L  
 Bonnekoh B → Mahrle G  
 Boonstra J → Pas MFW te  
 Bos JD → Rie MA de  
 Bouclier M → Bernerd F  
 Braner HU → Rupprecht M  
 Braun-Falco O → Kárpáti S

Briggaman RA → Wongwaisayawan H  
 Bröcker E-B, John SM, Steinhausen D, Hamm H: Topical immunotherapy with contact allergens in alopecia areata: evidence for non-specific systemic suppression of cellular immune reactions 133  
 Brusasco A → Nazzaro V  
 Caorsi I → Concha M  
 Caputo R → Nazzaro V  
 Cavalli R → Nazzaro V  
 Cerroni L → Peris K  
 Chang A → Wozel G  
 Chao-Hsing KAO, Hsin-Su YU: A study of the effects of phorbol 12-myristate-13-acetate on cell differentiation of pure human melanocytes in vitro 119  
 Chapman SJ, Walsh A, Jackson SM, Friedmann PS: Lipids, proteins and corneocyte adhesion 167  
 Chapman SJ → Walsh A  
 Chatelus A → Bernerd F  
 Chimenti S → Peris K  
 Chumakov IM → Babaev VR  
 Cirone M → Picardo M  
 Cleutjens JPM → Baar HMJ van  
 Concha M, Vidal MA, Figueroa CD, Caorsi I: Cellular and subcellular distribution of 2,4-dinitrophenyl groups in mouse epidermis and regional lymph nodes after epicutaneous application of 2,4-dinitrofluorobenzene 251  
 Cormier M → Ledger PW  
 Cros DL du → Pisansarakit P  
 Czarnetzki BM → Wozel G  
 Czirják L, Ladányi E, Schlammadinger J, Szegedi G: Signs of systemic disease in localized scleroderma 418  
 De Luca C → Picardo M  
 Del Guercio R → Valentini G  
 Detmar M → Imcke E  
 Dummer R, Dunkel FG: Soluble interleukin-2 receptors and psoriasis 138  
 Dunkel FG → Dummer R  
 Egelrud T, Lundström A: A chymotrypsin-like proteinase that may be involved in desquamation in plantar stratum corneum 108  
 Enhamre A → Johansson O  
 Erratum 419  
 Erp PEJ van → Jong EMGJ de  
 Faggioni A → Picardo M  
 Faivre B → Treffel P  
 Fantini F → Pincelli C  
 Fantini F, Pincelli C, Sevnani C, Baraldi A, Giannetti A: Langerhans cells can express neuron-specific enolase immunoreactivity 10  
 Farkas B, Bonnekoh B, Mahrle G: Repeated treatment with dithranol induces a tolerance reaction in keratinocytes in vitro 337  
 Feldmann A → Ramb-Lindhauer Ch  
 Figueroa CD → Concha M  
 Fragnals R → Roberts DW

Friedman H → Zheng ZM  
 Friedmann PS → Chapman SJ  
 Fruchtmann R → Hegemann L  
 Fujiwara H → Ito M  
 Fukaya T → Osawa Y  
 Funato T → Ohta Y  
 Furukawa F, Imamura S, Norris DA: Stimulation of anti-RNP antibody binding to cultured keratinocytes by estradiol 258  
 Gebauer H-J → Peterseim UM  
 Ghyczy M → Mahrle G  
 Giannetti A → Pincelli C  
 Giannetti A → Fantini F  
 Glinska-Ferenz M → Glinski W  
 Glinski W, Pierozynska-Dubowska M, Glinska-Ferenz M, Jabłońska S: Decreased specific anti-elastase activity in the uninvolved skin of patients with psoriasis 224  
 Gniadecka M, Gniadecki R, Serup J: The effect of limb oedema and compressive bandaging on postural vasoconstriction in humans 485  
 Gniadecki R → Gniadecka M  
 Goebeler M, Gutwald J, Roth J, Sorg C: The severity of irritant contact dermatitis in various strains of mice correlates with endothelial expression of migration inhibitory factor (MIF) 246  
 Goerz G → Scharffetter K  
 Gross E → Hein R  
 Gross E → Kemény L  
 Günzel S, Weidenthaler B, Hauber I, Anton-Lamprecht I: Keratohyalin granules are heterogeneous in ridged and non-ridged human skin: evidence from anti-flaggrin immunogold labelling of normal skin and skin of autosomal dominant ichthyosis vulgaris patients 421  
 Gutwald J → Goebeler M  
 Hainzl A → Klein CE  
 Halevy S, Livni S: Psoriasis and psoriasiform eruptions associated with propranolol – the role of an immunological mechanism 472  
 Hamada Y → Katayama I  
 Hamerlinck F → Rie MA de  
 Hamm H → Bröcker E-B  
 Han S-W → Johansson O  
 Happle R → Baar HMJ van  
 Happle R → Wozel G  
 Harvima IT → Naukkarinen A  
 Harvima RJ → Naukkarinen A  
 Hashimoto K, Horii I, Tagami H: In vitro comparison of water-holding capacity of the superficial and deeper layers of the stratum corneum 342  
 Hashimoto Y, Ohkuma N, Iizuka H: Reduced superoxide dismutase activity in UVB-induced hyperproliferative pig epidermis 317  
 Hauber I → Günzel S  
 Hegemann L, Fruchtmann R, Bonnekoh B, Schmidt BH, Traber J, Mahrle G, Müller-

- Peddinghaus R, Rooijen LAA van: Effects of tiplucarbene as a dual protein kinase C/calmodulin antagonist on proliferation of human keratinocytes and release of reactive oxygen species from human leukocytes 456
- Hein R, Gross E, Ruzicka T, Krieg T: 12-Hydroxyeicosatetraenoic acid (12-HETE) is a chemotactic stimulus for epidermal cells 135
- Hensby C → Bernerd F
- Hermann K → Jakob T
- Hintzen RQ → Rie MA de
- Hintzenstern J v → Kiesewetter F
- Hirano T → Ohta Y
- Hisaoka H, Ideta R, Seki T, Adachi K: Androgen regulation of a specific gene in hamster flank organs 269
- Höfler H → Peris K
- Hogg A → Scharffetter K
- Horiguchi Y → Zhang X-M
- Hori I → Hashimoto K
- Hornstein OP → Rupprecht M
- Horsmanheimo M → Naukkarinen A
- Hosokawa H → Soh H
- Hsin-Su YU → Chao-Hsing KAO
- Humbert Ph → Treffel P
- Humbert Ph, Treffel P, Makki S, Millet J, Agache P: Peak blistering point: influence on fluid levels of 5-MOP in human skin in vivo after systemic administration 297
- Ideta R → Hisaoka H
- Igarashi A → Takehara K
- Iijima K-N → Niizuma K
- Iizuka H → Hashimoto Y
- Imai S: Effect of topically applied capsaicin on the cutaneous reaction to histamine 414
- Imai S: The effect of the proteolytic enzyme savinase on human plantar skin in vitro 377
- Imamura S → Furukawa F
- Imamura S → Zhang X-M
- Imcke E, Ruszczak Zb, Mayer-da Silva A, Detmar M, Orfanos CE: Cultivation of human dermal microvascular endothelial cells in vitro: Immunocytochemical and ultrastructural characterization and effect of treatment with three synthetic retinoids 149
- Ishibashi Y → Nakagawa N
- Ishibashi Y → Takehara K
- Ito K → Tezuka M
- Ito M: Unusual distribution of melanocytes in hair bulbs from a Negro subject 274
- Ito M, Oguro K, Sato Y: Ultrastructural study of the skin in Sjögren-Larsson syndrome 141
- Ito M, Shimizu N, Fujiwara H, Maruyama T, Tezuka M: Histopathogenesis of inflammatory linear verrucose epidermal naevus: histochemistry, immunohistochemistry and ultrastructure 491
- Ito M → Okuda C
- Ito M → Tezuka M
- Ito M → Yamamoto A
- Izumi H → Soh H
- Jabłońska S → Gliniski W
- Jackson SM → Chapman SJ
- Jakob T, Hermann K, Ring J: Eosinophil cationic protein in atopic eczema 5
- Jemec GBE, Sindrup JH: Circulating androgens in male patients suffering from systemic scleroderma 289
- Johansson O, Han S-W, Enhamre A: Altered cutaneous innervation in psoriatic skin as revealed by PGP 9.5 immunohistochemistry 519
- John SM → Bröcker E-B
- Johnson JA: Photoprotection for individuals sensitive to UVA/visible radiation 417
- Jong EMGJ de, Vlijmen IMMJ van, Erp PEJ van, Ramaekers FCS, Troyanovski SM, Kerkhof PCM van de: Keratin 17: a useful marker in anti-psoriatic therapies 480
- Juji T → Nakagawa N
- Kanerva L → Niemi K-M
- Kapp A, Komann A, Schöpf E: Effect of tumour necrosis factor alpha in vivo on human granulocyte oxidative metabolism 362
- Kárpáti S, Stolz W, Meurer M, Braun-Falco O, Krieg T: Ultrastructural basis for antigen mapping using sodium chloride-separated skin 529
- Katayama I, Hamada Y, Otoyama K, Nishiyama S, Nishioka K: Identification of antiphospholipid antibodies in systemic lupus erythematosus on thin layer chromatography and immunostaining 411
- Katayama I → Ohta Y
- Kaufmann R → Klein CE
- Kazantseva IA → Babaev VR
- Kemény L, Gross E, Arenberger P, Ruzicka T: Dithranol-induced down-regulation of 12(S)-hydroxyeicosatetraenoic acid [12(S)-HETE] receptors in a human epidermal cell line 333
- Kerkhof PCM van de → Jong EMGJ de
- Kerkhof PCM van de → Wozel G
- Kerl H → Peris K
- Kiene P, Milde-Langosch K, Löning T: Human papillomavirus infection in vulvar lesions of lichen sclerosus et atrophicus 445
- Kiesewetter F, Arai A, Hintzenstern J v, Schell H: Effects of testosterone, dihydrotestosterone and estradiol on growth of human hair outer root sheath keratinocytes in vitro 476
- Kiistala R → Parkkinen MU
- Kiistala U → Parkkinen MU
- Kikuchi K → Takehara K
- Kishimoto T → Ohta Y
- Klarich BL → Ledger PW
- Klein CE, Hainzl A, Kaufmann R, Weber L: Cell surface glycoproteins define distinct states of eccrine gland differentiation 357
- Koch HU → Rupprecht M
- Körner C → Steinkraus V
- Koizumi H → Osawa Y
- Kokoschka EM → Trautinger F
- Komann A → Kapp A
- Komura J → Akamatsu H
- Kondo S, Sato N, Aso K: The level of urinary epidermal growth factor is not influenced by the extent of psoriatic lesions 516
- Korge B → Thewes M
- Kornhuber J → Rupprecht M
- Krieg T → Hein R
- Krieg T → Kárpáti S
- Krieg T → Scharffetter K
- Kudo Y → Seishima M
- Küster W → Peterseim UM
- Kuokkanen K → Niemi K-M
- Kurokawa I → Akamatsu H
- Kuwata S → Nakagawa N
- Ladányi E → Cziráj L
- Legrain V, Michel S, Ortonne JP, Reichert U: Intra- and inter-individual variations in cornified envelope peptide composition in normal and psoriatic skin 512
- Leonardo G → Valentini G
- Lepoittevin J-P → Roberts DW
- Lesa G → Pincelli C
- Lévêque JL, Pierard-Franchimont C, Rigal J de, Saint-Léger D, Piérard GE: Effect of topical corticosteroids on human sebum production assessed by two different methods 372
- Lier RAW van → Rie MA de
- Livni S → Halevy S
- Ledger PW, Klarich BL, Cormier M: Oxidative activity associated with a network of dendritic cells in the human epidermis 474
- Löning T → Kiene P
- Lubach D, Stüwe S, Nissen S, Berens von Rautenfeld D: Histological demonstration of initial lymphatics in human skin: comparison between different extension techniques 240
- Lundström A → Egelrud T
- Mackie EJ → Baar HMJ van
- Mahrle G, Bonnekoh B, Ghyczy M, Wiegrebe W: Stability of anthralin in liposomal phospholipids 483
- Mahrle G → Farkas B
- Mahrle G → Hegemann L
- Makki S → Humbert Ph
- Makki S → Treffel P
- Maruyama T → Ito M
- Maselli R → Valentini G
- Mashimo M → Muto M
- Masuda R → Akamatsu H
- Matsuki K → Nakagawa N
- Mayer-da Silva A → Imcke E
- Meigel W: Allergic contact dermatitis — description of a test model for topical anti-inflammatories with particular reference to the leukotriene-C<sub>4</sub> antagonist Ro-23-3544 278
- Mensing H → Steinkraus V
- Menzel EJ → Trautinger F
- Meschig R → Peterseim UM
- Meurer M → Kárpáti S
- Meyer W, Neurand K: Comparison of skin pH in domesticated and laboratory mammals 16
- Michel S → Legrain V
- Milde-Langosch K → Kiene P

- Millet J → Humbert Ph  
 Mischke D → Thewes M  
 Miyachi Y → Akamatsu H  
 Miyauchi H → Soh H  
 Moles DA → Valentini G  
 Moll I, Moll R: Comparative cytokeratin analysis of sweat gland ducts and eccrine poromas 300  
 Moll R → Moll I  
 Moore GPM → Pisansarakit P  
 Moragas JM de → Solá J  
 Moreno G → Salet C  
 Mori S → Seishima M  
 Mori S → Tamaki T  
 Morishima T → Saito N  
 Morlière P → Salet C  
 Moro A → Takehara K  
 Müller-Peddinghaus R → Hegemann L  
 Muto M, Mashimo M, Urabe K, Suzuki T, Sasazuki T: Correlation between HLA-A2-Bw46-DRw8 haplotype and increased levels of complement components (C4 and C4a) in patients with psoriatic arthritis 347  
 Nagao S → Seishima M  
 Nakagawa N, Akazaki S, Asahina A, Tokunaga K, Matsuki K, Kuwata S, Ishibashi Y, Juji T: Study of HLA class I, class II and complement genes (C2, C4A, C4B and BF) in Japanese psoriatics and analysis of a newly-found high-risk haplotype by pulsed field gel electrophoresis 281  
 Naukkarinen A, Harvima IT, Aalto M-L, Harvima RJ, Horsmanheimo M: Quantitative analysis of contact sites between mast cells and sensory nerves in cutaneous psoriasis and lichen planus based on a histochemical double staining technique 433  
 Nazzaro-Porro M → Picardo M  
 Nazzaro V, Berti E, Cavalli R, Brusasco A, Caputo R: Very late antigen (VLA) expression in various forms of epidermolysis bullosa simplex 1  
 Neumann Ch → Ramb-Lindhauer Ch  
 Neurand K → Meyer W  
 Niemi K-M, Kanerva L, Kuokkanen K: Recessive ichthyosis congenita type II 211  
 Niizuma K, Iijima K-N: Solitary neurofibroma - a case of subungual neurofibroma on the right third finger 13  
 Nishijima S → Akamatsu H  
 Nishikawa T → Akiyama M  
 Nishioka K → Katayama I  
 Nishioka K → Ohta Y  
 Nishiyama S → Katayama I  
 Nishiyama S → Ohta Y  
 Nissen S → Lubach D  
 Niwa Y → Akamatsu H  
 Norris DA → Furukawa F  
 Nozawa Y → Seishima M  
 Ogawa H → Wongwaisayawan H  
 Oguro K → Ito M  
 Ohkawara A → Osawa Y  
 Ohkuma N → Hashimoto Y  
 Ohta H → Takematsu H  
 Ohta Y, Katayama I, Funato T, Yokozeki H, Nishiyama S, Hirano T, Kishimoto T, Nishioka K: In situ expression of messenger RNA of interleukin-1 and interleukin-6 in psoriasis: interleukin-6 involved in formation of psoriatic lesions 351  
 Okuda C, Ito M, Sato Y: *Trichophyton rubrum* invasion of human hair apparatus in tinea capitis and tinea barbae: light- and electron microscopic study 233  
 Orfanos CE → Imcke E  
 Ortonne J-P → Bernerd F  
 Ortonne J-P → Legrain V  
 Osawa Y, Koizumi H, Fukaya T, Yasui T, Ohkawara A, Ueda T: Adenylate cyclase induces intracellular  $Ca^{2+}$  increase in single human epidermal keratinocytes of the epidermal sheet as measured by digital imaging microscopy using Fura 2-AM 91  
 Otoyama K → Katayama I  
 Parkkinen MU, Kiistala R, Kiistala U: Baseline water loss and cholinergic sweat stimulation in atopic dermatitis: a gravimetric measurement of local skin water loss 382  
 Pas MFW te, Bergen en Henegouwen PMP van, Boonstra J, Ponc M: Regulation of epidermal growth factor receptor expression in normal and transformed keratinocytes 125  
 Passi S → Picardo M  
 Péguet-Navarro J, Slaats M, Thivolet J: Lack of demonstrable effect of cyclosporin A on human epidermal Langerhans cell function 198  
 Peris K, Cerroni L, Chimenti S, Soyer H-P, Kerl H, Höfler H: Proto-oncogene expression in dermal naevi and melanomas 500  
 Perret CM → Baar HMJ van  
 Peterseim UM, Küster W, Gebauer H-J, Meschig R, Plewig G: Cytogenetic effects during extracorporeal photopheresis treatment of two patients with cutaneous T-cell lymphoma 81  
 Picardo M, Zompetta C, De Luca C, Cirone M, Faggioni A, Nazzaro-Porro M, Passi S, Prota G: Role of skin surface lipids in UV-induced epidermal cell changes 191  
 Piérard GE → Lévêque JL  
 Piérard-Franchimont C → Lévêque JL  
 Pierozynska-Dubowska M → Glinski W  
 Pincelli C, Fantini F, Romualdi P, Lesa G, Giannetti A: Skin levels of vasoactive intestinal polypeptide in atopic dermatitis 230  
 Pincelli C → Fantini F  
 Pisansarakit P, Cros DL du, Moore GPM: Cultivation of mesenchymal cells derived from the skin and hair follicles of the sheep: The involvement of peptide factors in growth regulation 321  
 Pittelkow MR → Schallreuter KU  
 Plewig G → Peterseim UM  
 Plewig G → Scharffetter K  
 Ponc M → Pas MFW te  
 Prota G → Picardo M  
 Puig L → Solá J  
 Ramaekers FCS → de Jong EMGJ  
 Ramb-Lindhauer Ch, Feldmann A, Rotte M, Neumann Ch: Characterization of grass pollen reactive T-cell lines derived from lesional atopic skin 71  
 Reichert U → Legrain V  
 Rie MA de, Hamerlinck F, Hintzen RQ, Bos JD, Lier RAW van: Quantitation of soluble CD27, a T-cell activation antigen, and soluble interleukin-2 receptor in serum from patients with psoriasis 533  
 Riederer P → Rupperecht M  
 Rigal J de → Lévêque JL  
 Ring J → Jakob T  
 Roberts DW, Fragnals R, Lepoittevin J-P, Benezra C: Refinement of the relative alkylation index (RAI) model for skin sensitization and application to mouse and guinea-pig test data for alkyl alkane-sulphonates 387  
 Romualdi P → Pincelli C  
 Rooijen LAA van → Hegemann L  
 Roth J → Goebeler M  
 Rotte M → Ramb-Lindhauer Ch  
 Rupperecht M, Rupperecht R, Wodarz N, Braner HU, Kornhuber J, Koch HU, Riederer P, Hornstein OP: In vivo and in vitro effects of glucocorticoids on lectin-induced blastogenesis in atopic dermatitis 292  
 Rupperecht R → Rupperecht M  
 Ruszczak Zb → Imcke E  
 Ruzicka T → Hein R  
 Ruzicka T → Kemény L  
 Saint-Léger D → Lévêque JL  
 Saito N, Morishima T: Eumelanin and pheomelanin contents in hair and 5-S-cysteinyl-dopa and 5-hydroxy-6-methoxyindole-2-carboxylic acid levels in urine in Japanese oculocutaneous albinism 7  
 Salet C, Moreno G, Morlière P, Santus R: Effects of anthralin on mitochondrial bioenergetics 186  
 Santus R → Salet C  
 Sasazuki T → Muto M  
 Sato N → Kondo S  
 Sato Y → Ito M  
 Sato Y → Okuda C  
 Sato Y → Tezuka M  
 Sato Y → Yamamoto A  
 Satoh T → Tokura Y  
 Schalkwijk J → Baar HMJ van  
 Schallreuter KU, Pittelkow MR, Wood JM: Defects in antioxidant defense and calcium transport in the epidermis of xeroderma pigmentosum patients 449  
 Scharffetter K, Wlaschek M, Hogg A, Bolsen K, Schothorst A, Goerz G, Krieg T, Plewig G: UV irradiation induces collagenase in human dermal fibroblasts in vitro and in vivo 506  
 Schell H → Kiesewetter F  
 Schlamadinger J → Czirjak L  
 Schmidt BH → Hegemann L  
 Schneider BV, Schnyder UW: The ultrastructure of congenital naevocytic naevi. III. Morphological variability of melanosomes 438  
 Schnyder UW → Schneider BV  
 Schöpf E → Kapp A  
 Schothorst A → Scharffetter K



- Seishima M, Kudo Y, Nagao S, Mori S, Nozawa Y: Alterations in intracellular calcium transients of fibroblasts from progressive systemic sclerotic patients: a digital imaging microscopic study 96
- Seki T → Hisaoka H
- Serizawa S → Yamamoto A
- Serup J → Gniadecka M
- Sevignani C → Fantini F
- Shimizu H → Akiyama M
- Shimizu N → Ito M
- Sindrup JH → Jemec GBE
- Slaats M → Péguet-Navarro J
- Soh H, Hosokawa H, Miyauchi H, Izumi H, Asada Y: The distribution of IgG subclass autoantibodies in bullous pemphigoid analysed by immunofluorescence and immunoblotting 400
- Solá J, Vila L, Puig L, Moragas JM de: Metabolism of exogenous arachidonic acid by polymorphonuclear leukocytes from psoriatic patients 77
- Soma Y → Takehara K
- Sorg C → Goebeler M
- Soyer H-P → Peris K
- Specter S → Zheng ZM
- Stadler R → Thewes M
- Steinfath M → Steinkraus V
- Steinhausen D → Bröcker E-B
- Steinkraus V, Körner C, Steinfath M, Mensing H: High density of  $\beta_2$ -adrenoceptors in a human keratinocyte cell line with complete epidermal differentiation capacity (HaCaT) 328
- Stolz W → Kárpáti S
- Stüwe S → Lubach D
- Sugiura M → Akiyama M
- Suzuki T → Muto M
- Szegedi G → Cziráj L
- Tagami H → Hashimoto K
- Tagami H → Takematsu H
- Takehara K, Soma Y, Igarashi A, Kikuchi K, Moro A, Ishibashi Y: Response of scleroderma fibroblasts to various growth factors 461
- Takehara K → Tamaki T
- Takematsu H, Ohta H, Tagami H: Determination of tumor necrosis factor in blister fluids of bullous pemphigoid 131
- Takematsu H: *Reply to the Letter to the editor*. Soluble interleukin-2 receptors and psoriasis 138
- Takigawa M → Tokura Y
- Tamaki T, Mori S, Takehara K: Epidemiological study of patients with systemic sclerosis in Tokyo 366
- Tarak EM → Babaev VR
- Tazawa T → Tezuka M
- Tezuka M, Ito M, Ito K, Tazawa T, Sato Y: Differential analysis of the human anagen hair apparatus using lectin binding histochemistry 180
- Tezuka M → Ito M
- Thewes M, Stadler R, Korge B, Mischke D: Normal psoriatic epidermis expression of hyperproliferation-associated keratins 465
- Thivolet J → Péguet-Navarro J
- Tirri G → Valentini G
- Tkachenko AV → Babaev VR
- Tokunaga K → Nakagawa N
- Tokura Y, Satoh T, Yamada M, Takigawa M: In vitro activation of immune lymph node cell proliferation by photohaptens-modified cells in murine contact photosensitivity 203
- Traber J → Hegemann L
- Trautinger F, Kokoschka EM, Menzel EJ: Antibody formation against human collagen and CIq in response to a bovine collagen implant 395
- Treffel P, Humbert P, Makki S, Faivre B, Agache P: Use of a surface recovery technique to evaluate percutaneous absorption of 5-methoxypsoralen in humans 487
- Treffel P → Humbert Ph
- Troyanovski SM → Jong EMGJ de
- Ueda M → Zhang X-M
- Ueda T → Osawa Y
- Urabe K → Muto M
- Valentini G, Leonardo G, Moles DA, Apaia MR, Maselli R, Tirri G, Del Guercio R: Transcutaneous oxygen pressure in systemic sclerosis: evaluation at different sensor temperatures and relationship to skin perfusion 285
- Vidal MA → Concha M
- Vila L → Solá J
- Viluksela M: Characteristics and modulation of dithranol (anthralin)-induced skin irritation in the mouse ear model 262
- Vlijmen-Willems IMJJ van → Baar HMJ van
- Vlijmen IMMJ van → Jong EMGJ de
- Walsh A, Chapman SJ: Sugars protect desmosome and corneosome glycoproteins from proteolysis 174
- Walsh A → Chapman SJ
- Weber L → Klein CE
- Weidenthaler B → Günzel S
- Wiegrebbe W → Mahrele G
- Wlaschek M → Scharffetter K
- Wodarz N → Rupprecht M
- Wongwaisayawan H, Yoshiike T, Aikawa Y, Briggaman RA, Ogawa H: Antikeratin 14 monoclonal antibody staining in psoriasis and seborrheic keratosis: immunofluorescence and two colour FACS studies 405
- Wood JM → Schallreuter KU
- Wozel G, Chang A, Zultak M, Czarnetzki BM, Happle R, Barth J, Kerkhof PCM van de: The effect of topical retinoids on the leukotriene- $B_4$ -induced migration of polymorphonuclear leukocytes into human skin 158
- Yamada M → Tokura Y
- Yamamoto A, Serizawa S, Ito M, Sato Y: Stratum corneum lipid abnormalities in atopic dermatitis 219
- Yasui T → Osawa Y
- Yokozeki H → Ohta Y
- Yoshiike T → Wongwaisayawan H
- Yoshiki T → Zhang X-M
- Zhang X-M, Horiguchi Y, Ueda M, Yoshiki T, Imamura S: 1-2B7B: Monoclonal antibody reacting to the 120 kDa polypeptide component of human epidermal hemidesmosomes 310
- Zheng ZM, Specter S, Friedman H: Presence of specific IgG antibody to the A type inclusions of erythromelalgia-related poxvirus in the sera of patients with epidemic erythromelalgia 535
- Zompetta C → Picardo M
- Zultak M → Wozel G

